

# SAFETY DATA SHEET ULTRAPAC RENOVATE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name ULTRAPAC RENOVATE

Product number A217

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A highly concentrated multi-surface, heavy duty industrial cleaner for use on floors, walls,

carpets, hard surfaces, porous surfaces and many other professional and disaster restoration applications. Ultrapac Renovate contains a unique, solvent-free formula designed to penetrate

and lift carbon, soot, smoke, grease, rubber and deeply ingrained soils.

# 1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk

Prochem Europe Ltd Oakcroft Road Chessington Surrey KT9 1RH

Telephone: 020 8974 1515 (office hours 8am to 5pm Monday to Friday)

Fax: 020 8974 1511 sales@prochem.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** 24 hr emergency number +44 1235 239670.

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from

the UK National Poisons Information Service, where our full product details are held.

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Met. Corr. 1 - H290

**Health hazards** Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

**Human health**Causes severe skin burns and eye damage. Spray/mists may cause respiratory tract irritation.

Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat.

**Environmental** The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment. The product is expected to be

biodegradable.

**Physicochemical** May be corrosive to metals.

2.2. Label elements

#### Hazard pictograms



Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

**Precautionary statements** P102 Keep out of reach of children.

P260 Do not breathe spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

Contains Alcohols C9-11, ethoxylated

**Detergent labelling** 5 - < 15% phosphates, < 5% cationic surfactants, < 5% non-ionic surfactants, < 5% perfumes,

Contains d-Limonene, DMDM Hydantoin, Iodopropynyl butylcarbamate

# 2.3. Other hazards

See section 8 for details of exposure limits.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Tetrapotassium pyrophosphate		5-10%
CAS number: 7320-34-5	FC number: 230-785-7	

Classification
Eye Irrit. 2 - H319

Alcohols C9-11, ethoxylated 1-5%

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

# **ULTRAPAC RENOVATE**

Quaternary ammonium compounds, C12-18-

<1%

alkyl(hydroxyethyl)dimethyl, chlorides

EC number: 931-275-3

M factor (Acute) = 1

CAS number: 85736-63-6

Classification

Acute Tox. 4 - H302 Skin Corr. 1C - H314 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

Disodium metasilicate <1%

CAS number: 6834-92-0 EC number: 229-912-9

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

# 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Drink a few glasses of water or milk. Rinse mouth thoroughly with water. Get medical attention

immediately. Never give anything by mouth to an unconscious person. Do not induce

vomiting.

**Skin contact** Rinse immediately with plenty of water. Get medical attention if irritation persists after

washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

**Ingestion** May cause discomfort if swallowed. Nausea, vomiting.

**Skin contact** Causes severe burns.

Eye contact Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with the following media: Water spray, dry powder or

carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

**Specific hazards** No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

5.3. Advice for firefighters

Special protective equipment

No specific recommendations.

for firefighters

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or

smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 30°C. Keep out of the

reach of children.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

# 8.1. Control parameters

#### Occupational exposure limits

#### Disodium metasilicate

Short-term exposure limit (15-minute): SUP 2 mg/m<sup>3</sup>

SUP = Supplier's recommendation.

#### 8.2. Exposure controls

#### Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

# **ULTRAPAC RENOVATE**

Eye/face protection Side shield safety glasses are recommended when handling concentrate or during spray

application.

Hand protection Wear protective gloves. It is recommended that gloves are made of the following material:

Nitrile rubber. Protective gloves should be inspected for wear before use and replaced

regularly in accordance with the manufacturers specifications.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat,

drink or smoke when using this product.

Respiratory protection For situations where recommended exposure limits may be exceeded or where there is a risk

of inhalation of fine spray mists, a suitable respirator face mask is recommended.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state Clear liquid.

Colour Pink. Odour Floral.

pН pH (concentrated solution): 12 pH (diluted solution): 10.5

Melting point Not determined.

Initial boiling point and range 100°C

Flash point Not applicable. **Evaporation rate** Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not determined. Vapour density Not determined.

Relative density 1.06

Solubility(ies) Soluble in water. Partition coefficient Not determined. **Auto-ignition temperature** Not determined. Viscosity Not determined. **Explosive properties** Not applicable.

Oxidising properties Not applicable.

9.2. Other information

Other information None.

9.2.1 - Information regarding physical hazard classes.

Corrosiveness: decision to classify based on measured pH and ingredients with the same

classification.

9.2.2 - Other safety

No specific test data are available.

characteristics.

## SECTION 10: Stability and reactivity

# 10.1. Reactivity

# **ULTRAPAC RENOVATE**

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

products

Not determined.

10.4. Conditions to avoid

Conditions to avoid Protect from freezing and direct sunlight. Store in closed original container at temperatures

between 5°C and 30°C.

10.5. Incompatible materials

Materials to avoid anionic surfactants Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

**Toxicological effects**The product irritates mucous membranes and may cause abdominal discomfort if swallowed.

Ingestion may cause: Nausea, vomiting. May cause chemical burns in mouth and throat. Excessive inhalation of spray, mist or vapour may cause temporary respiratory irritation.

Acute toxicity - oral

**ATE oral (mg/kg)** 15,960.16

Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/irritation

Serious eye damage/irritation Contact with concentrate May cause severe eye irritation. May cause possible injury if not

promptly rinsed. May cause blurred vision and serious eye damage.

Skin sensitisation

Skin sensitisation Contains Limonene

Germ cell mutagenicity

**Genotoxicity - in vivo**No effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

11.2 Information on Other

Hazards

11.2.2 Information on other

hazards

Toxicological information on ingredients.

# **ULTRAPAC RENOVATE**

# Tetrapotassium pyrophosphate

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,000.0

mg/kg)

**Species** Mouse

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 4,000.0

mg/kg)

Species Rabbit

Alcohols C9-11, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 300.0

mg/kg)

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,000.0

mg/kg)

Quaternary ammonium compounds, C12-18-alkyl(hydroxyethyl)dimethyl, chlorides

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,000.0

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 75 mg/kg, Oral, Rat

2,000.0

# SECTION 12: Ecological information

# 12.1. Toxicity

**Toxicity** The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Ecological information on ingredients.

Alcohols C9-11, ethoxylated

Acute aquatic toxicity

Acute toxicity - fish LC50, : > 10 mg/l,

Acute toxicity - aquatic

EC<sub>50</sub>, : > 1 mg/l,

invertebrates

Acute toxicity - aquatic IC<sub>50</sub>, : > 10 mg/l,

plants

Quaternary ammonium compounds, C12-18-alkyl(hydroxyethyl)dimethyl, chlorides

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute) 1

Acute toxicity - fish LC50, 96 hours: 4.2 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.53 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 0.35 mg/l, Scenedesmus subspicatus

# 12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in The Detergents Regulations (as amended).

#### 12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

# 12.6. Other adverse effects

Other adverse effects None known.

12.7 Other Adverse Effects None known.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be rinsed with water then crushed

and disposed of at legal waste disposal site.

# SECTION 14: Transport information

# 14.1. UN number

**UN No. (ADR/RID)** 1760

**UN No. (IMDG)** 1760

# 14.2. UN proper shipping name

Corrosive liquid, N.O.S. (contains disodium trioxosilicate and N,N-bis(carboxymethyl)-alanin, trisodium salt)

# 14.3. Transport hazard class(es)

ADR/RID class 8

IMDG class 8

14.4. Packing group

ADR/RID packing group III

IMDG packing group III

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Supplied in accordance with "Limited Quantity" provisions.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations REACH Regulation UK SI 2019/758, as amended, and UK SI 2020/1577.

GB-CLP Regulation, UK SI 2019/720 and UK SI 2020/1567. Detergents (Amendment) (EU Exit) Regulations UK SI 2020/1617.

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

**General information** Telephone 020 8974 1515

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 08/12/2022

Revision 7

Supersedes date 16/12/2020

Please note: Where abbreviations have been used elsewhere the full text has been written below, for the

classification of the product please refer to section 2.

Hazard statements in full H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Signature Aaron Saunders

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.